प्रेषक,

एस०पी० मिश्र. उप सचिव. उ०प्र० शासन।

सेवा में.

निदेशक. 1. उँच्य शिक्षा उ०प्र०. प्रयागराज।

कुलसचिव, 2. समस्त राज्य / निजी विश्वविद्यालय.

उच्च शिक्षा अनुभाग-3

लखनऊ : दिनांक 20 फरवरी, 2024 विषयः मतदेय स्थलों पर सुनिश्चित न्यूनतम सुविधाएं (Assured Minimum Facilities) उपलब्ध कराये जाने के संबंध में।

महोदय.

उपर्युक्त विषयक अपर मुख्य निर्वाचन अधिकारी, कार्यालय मुख्य निर्वाचन अधिकारी के पत्र संख्या-108/सी0ई0ओ0-2-5/2-2023, दिनांक 05.02.2024 (छाया प्रति संलग्न) कृपया संदर्भ ग्रहण करने का कष्ट करें।

- उक्त संदर्भित पत्र के माध्यम से संलग्न भारत निर्वाचन आयोग के पत्र संख्या-464 / INST- AMF / 2022 / EPS, दिनाक 10.06.2023 में दिये गये निर्देशों के कम में जनपदों में समस्त मतदेय स्थलों पर ए०एम०एफ० संबंधी व्यवस्थाएं शत-प्रतिशत रूप से पूर्ण किये जाने हेतु विभाग स्तर से निर्देशित करने की अपेक्षा की गयी है।
- इस सम्बन्ध में अपर मुख्य निर्वाचन अधिकारी, कार्यालय मुख्य निर्वाचन अधिकारी के पत्र संख्या-108 / सी0ई0ओ0-2-5 / 2-2023, दिनांक 05.02.2024 की छाया प्रति संलग्नक सहित प्रेषित करते हुये मुझे यह कहने का निदेश हुआ है कि है कि प्रश्नगत प्रकरण में की गयी अपेक्षानुसार आवश्यक कार्यवाही करने का कष्ट करें।

संलग्नक-यथोक्त।

Web: www.vbspu.ac.in

वीर बहादुर सिंह पूर्वाञ्चल विश्वविद्यालय, जौनपुरिष्ठिष्ठि

Email:connectpuregistrar@gmail.com

पत्रांक: 3093 / पू.वि.वि. / कु0स0 / 2024

दिनांक: 20 फरवरी, 2024

प्रतिलिपि : निम्नलिखित को सूचनार्थ एवं आवश्यक कार्यवाही हेत् प्रेषित।

वित्तअधिकारी / परीक्षा नियन्त्रक।

समस्त प्राचार्य / प्रबन्धक, सम्बद्ध महाविद्यालय, वीर बहादुर सिंह पूर्वान्चल विश्वविद्यालय, जौनपुर को इस आशय से कि शासन के पत्र में दिये गये निर्देशानुसार कार्यवाही कराने का कष्ट करें।

उप कुलसचिव, प्रशासन/सम्बद्धता।

प्रभारी, वेबसाइट को इस आशय से प्रेषित कि उक्त सूचना को विश्वविद्यालय के वेबसाइट पर अपलोड करने का कष्ट करें।

5. निजी सचिव, कुलपति, मा० कुलपति जी के संज्ञानार्थ।

संख्या / / VIPPSHED/2023

कार्यालय मुख्य निर्वाचन अधिकारी,उत्तर प्रदेश

चतुर्थ तल विकास भवन, जनपथ मार्केट, लखनऊ-226001

संख्याः 108 / सीईओ-2-5 / 2-2023

लखनऊ

दिनांकः 05 फरवरी, 2024

सेवा में.

मुख्य सचिव,

उत्तर प्रदेश शासन।

विषयः

मतदेय स्थलों पर स्निश्चित न्यून्तम स्विधाएं(Assured Minimum Facilities

(AMF) उपलब्ध कराने के सम्बन्ध में।

महोदय.

कृपया उपर्युक्त विषय पर भारत निर्वाचन आयोग के पत्र संख्या 464/INST-AMF/2022/EPS दिनांक 10 जून, 2023 का अवलोकन करने का कष्ट करें, जिसके द्वारा समस्त मतदेय स्थलों पर सुनिश्चित न्यूनतम सुविधाएं(ए०एम०एफ०) उपलब्ध कराने हेतु निर्देश निर्गत किये गये हैं।

2- उक्त के अतिरिक्त लोक सभा सामान्य निर्वाचन 2024 के परिप्रेक्ष्य में दिनांक 18.12.2023 को लखनऊ में आयोजित छः राज्यों के मुख्य निर्वाचन अधिकारी एवं स्टेट पुलिस नोडल आफिसर्स की रीजनल कांफ्रेंस में भी आयोंग के अधिकारीगणों द्वारा ए०एम०एफ० सम्बन्धी

व्यवस्थाएं समय से पूर्ण कराने के निर्देश दिये गये।

3— कार्यालय मुख्य निर्वाचन अधिकारी, उ०प्र० के पत्र संख्या 473/सी०ई०ओ०-2 -67 / 2-2007 दिनांक 12 जून, 2023 द्वारा समस्त जिला निर्वाचन अधिकारियों को आयोग के निर्देशों से अवगत कराते हुए ए०एम०एफ० सम्बन्धी व्यवस्थाओं को सुनिश्चित किये जाने हेतु निर्देश निर्गत किये गये थे तथा मुख्य निर्वाचन अधिकारी कार्यालय द्वारा समय-समय पर जिला निर्वाचन अधिकारियों से वीडियो कान्फ्रेंसिंग द्वारा समीक्षा भी की गयी थी, जिसके परिणामस्वरूप दिनांक 05 फरवरी, 2024 को उ०प्र0 के कुल 1,62,012 मतदेय स्थलों के सापेक्ष लगभग 99 प्रतिशत व्यवस्थाएं जिला निर्वाचन अधिकारी द्वारा पूर्ण कर पोर्टल पर अपलोड की गयी हैं। परन्तु जनपदों के कुछ मतदेय स्थलों पर अभी भी गैप परिलक्षित हो रहा है। मतदेय स्थलों पर ए०एम०एफ० सम्बन्धी व्यवस्थाएं पूर्ण किये जाने हेतु विभिन्न विभागों यथा बेसिक शिक्षा विभाग, माध्यमिक शिक्षा विभाग, उच्च शिक्षा विभाग, पंचायती राज विभाग, ऊर्जा विभाग, लोक निर्माण विभाग, नगर विकास विभाग, जल निगम ग्रामीण विभाग आदि द्वारा कार्य किया जाता है।

अतः आपसे अनुरोध है कि कृपया भारत निर्वाचन आयोग के निर्देशों के कम में जनपदों में समस्त मतदेय स्थलों पर ए०एम०एफ० संबंधी व्यवस्थाएं शत-प्रतिशत रूप से पूर्ण किये जाने हेतु

संबंधित विभागों को अपने स्तर से निर्देशित करने का कष्ट करें।

90 कि (कि विशिष्ठ । 324 (राम्य निविष्ठ कि | Pue of an (5 मार्ग) (डांड अधितंत्र कुम्प्निम्म) ्रं रताँफ आकिरार विशेष सविव. उच्च शिक्षा विभाग उत्तर प्रदेश शासन। र० पी० चौधरी)

C:\USERS\UPELE\DOWNLOADS\DELL PC DATA\LOK SABHA 2024\RATIONALISATION-20-02 2005 XHTQQ उच्च शिक्षा विभाग उत्तर प्रदेश शासन

0.00% 1.20% 0.10% 0.30% 0.00% 0.10% 0.00% 0.00% 47 1.60% 41 1.90% 0 0.00% 3 0.20% 0 0.00% 0 0.00% 64 1.80% 22 1.40% 0 0.00% 0 0.00% 0.00% 1.80% 0 0.00% 0 0.00% 0 0.00% 20 0.80% 0 0.00% 16 | 1.10%0.00% 0 0.00% 0 0.00% 00.00 2 0.10% 9 0.20% 0.60% 20 1.50% % sidelisvA toN **Drinking Water** Provision for 1056 881 1646 2553 1789 3550 1554 1342 1503 2143 2564 1586 1465 2969 2053 1525 1275 3492 2481 1486 1527 4703 1277 3058 2876 979 3690 2087 2577 1521 3012 1971 **Available** 0.20% 1.30% 1.30% 0.50% 11 1.20% 0.00% 0.00% 0.00% 0.00% 0.00% 15 0.60% 1 0.00% 0 0.00% 1 0.10% 13 0.90% 0 0.00% 0 0.00% 1.20% 24 1.10% 0 0.00% 0 0.00% 15 1.20% 0 0.00% 1 0.00% 0.00% 0 0.00% 0.00% 0 0.00% 57 2.20% 0 0.00% 0.00% 0 0.00% 4 0.30% 0 0.00% 16 0.30% 27 1.00% % 9ldslisvA toN Tollet sidelisvA toM 886 1526 4696 1280 2481 3568 1139 2143 3688 1646 3492 1789 3013 1486 1342 1277 1467 3061 1521 **<u>9ldelisvA</u>** 2.80% %00.0 2.10% 0.00% 0.00% 0.90% 2.90% 0.00% 0.00% 0.00% 2.00% 0.10% 0.00% 2.40% 1.50% 0.00% 1.10% 0.00% 0.50% 0.00% 3.60% 0.00% %00.0 0.00% 0.10% 1.70% 0.00% 0.00% 0.00% 0.10% 1.90% 0.00% 0.00% % eldslisvA foN Proper Signage Ö 16 0 23 95 12 25 85 24 62 **9IdelisvA toM** 1515 3529 1342 1139 2143 872 2053 1646 2522 1789 1486 1527 2954 3492 2577 1552 2481 1521 2091 **<u>9ldslisvA</u>**</u> 2.60% 116 4.50% 19 2.10% 0.20% 9 0.30% 0 0.00% 10 0.70% 60 4.60% 2 0.10% 0 0.00% 0 0.00% 1 0.10% 0 0.00% 2 0.10% 0 0.00% 132 3.70% 39 2.50% 0 0.00% 19 1.30% 0 0.00% 20 0.40% 1 0.00% 91 3.50% 0 0.00% 0.00% 0 0.00% 0 0.00% 5 0.30% 0 0.00% 5 0.10% 127 4.20% 60 2.80% 0.10% 0.00% Provision for Ramp % eldelievA toN **9ldslisvA toM** 878 1789 3482 979 2889 2053 1645 3490 2577 2481 1520 2457 1486 1537 1342 1527 1139 Uttar Pradesh >> All Districts Available प्रगति रिपोर्ट दिनांक 05.02.2024 0.10% 0.00% 0 0.00% 5 0.30% 12 1.30% 0.00% 28 1.10% 1 0.00% 56 1.50% 17 0.40% 0.00% 75 2.90% 0 0.00% 0 0.00% 45 1.50% 0 0.00% 0.00% 3 0.20% 13 1.00% 0 0.00% 0.00% 0.00% 0 0.00% 21 1.30% 0.00% 0 0.00% 13 0.90% 38 1.40% 0.00% 3 0.10% 19 0.90% 0 0.00% 1 0.10% % sidelievA four Proper Lighting **9ldslisvA toN** 2545 3013 1486 3558 1506 2143 885 2876 3692 2109 1646 1282 3492 2481 1521 1789 342 1527 4695 1277 2971 2577 **Available** 0.00% 0.90% 74 2.90% 0.20% 0.00% 0.50% 0.10% 0.20% 0.40% 63 4.90% 0 0.00% .09 3.00% 20 1.30% 0 0.00% 0 0.00% 13 0.90% 0 0.00% 0 0.00% 74 2.80% 0 0.00% 17 1.90% 12 0.40% 5 0.10% 80 2.70% 31 1.50% 0 0.00% 0 0.00% 11 0.70% 0 0.00% 0 0.00% 0 0.00% 0 0.00% 0.30% 71 2.60% 0 0.00% 0.00% % sldslisvA toN Help Desk **SldslisvA** foll 3009 1486 3505 1506 1460 880 1789 1646 2499 1527 2547 2692 2053 1517 3492 2577 4697 1277 2687 **9ldelievA** 0.50% 0.90% 0.00% %00.0 0.00% 1.40% 0.00% 0.00% 0.00% 0.00% 0.00% 0 0.00% 6 0.30% 0,000% 3 0.10% 49 1.60% 25 1.20% 0 0.00% 0 0.00% 6 0.40% 12 0.90% 1 0.00% 0 0.00% 0 0.00% 0 0.00% 23 0.90% 69 1.90% 102 1.10% 19 0.40% 0 0.00% 2.40% 0 0.00% 0.00% 0.10% 52 1.90% 2 0.10% Adequate Furniture % sidslievA toN **9ldslisvA toN** 1283 2550 1789 3013 3545 1342 1503 4693 2143 1586 1056 1466 889 2053 1646 1486 1554 1527 2557 1970 2706 2876 3692 2967 1522 3491 2577 2481 1521 1277 979 **Available** 1474 1789 1576 1519 1139 2143 3062 2876 1804 3695 3016 2128 2053 1646 1528 1295 3492 2577 2481 1521 2573 3014 1486 3614 1342 1527 2621 1277 897 1971 979 Polling Station Gautam Buddha Nagar Location District Name 2 Muzaffarnagar 24 Kanpur Dehat Shahjahanpur 23 Kanpur Nagar 26 Farrukhabad Bulandshahr 19 Moradabad Saharanpur 31 Pratapgarh 32 Kaushambi Ghaziabad 36 Hamirpur Firozabad 29 Prayagraj 30 Fatehpur 12 Mainpuri 10 Mathura Amroha 20 Rampur 27 Kannaui Baghpat 28 Auralya 14 Hathras Bareilly 34 Lalitpur Meerut Budaun 18 Pilibhit Etawah Aligarh 35 Jalaun 33 Jhansi 21 Bijnor Etah 8 Agra 25 13 15 District No.

	0 1884 A	1					3 20
 | | - 33 | 100.5 | |
 | | | | | |
 | | | | |
 | | | | |
 | | | | | |
 | | | | | | |
|--------------|------------------------------|---|--|--------------------|--|----------------|--
--	---	---	---
---	----------	---	--
--	--	--	--
--	--	--	--
--	--	--	--
---	--	--	--
--	---------------	---------------	--
for /ater	% sldslisvA 10N	%00.0	0.10%
 | 0.40% | 0.10% | 0.00% | 0.10% | 0.00%
 | %00'0 | 1.00% | 0.10% | 0.00% | 0.00% | 0.50%
 | 0.00% | 0.00% | 1.00% | 0.00% | 0.00%
 | 0.00% | 0.60% | 0.10% | 0.70% | 0.00%
 | 0.00% | 0.80% | 0.00% | 1.10% | 0.00% | 0.00%
 | 0.30% | 0.00% | 1.00% | 0.00% | 0.00% | 0.40% |
| . S | 9ldslisvA 10N | 0 | 4 | 22 | 0 | 20 | 0 | 0
 | 80 | 2 | P | 5 | 0
 | 0 | 37 | 3 | 1 | 0 | 10
 | 0 | 0 | 37 | 0 | 0
 | 0 | 20 | 3 | 19 | 0
 | 0 | 7 | 0 | 21 | 0 | 0
 | 4 | 0 | 12 | 0 | 0 | 809 |
| Drinkir | əldelisvA | 732 | 1388 | 829 | 3043 | 3489 | 2936 | 1541
 | 2135 | 1512 | 1253 | 3796 | 1762
 | 2606 | 3641 | 2081 | 2513 | 2633 | 2141
 | 2178 | 1437 | 3729 | 2498 | 2236
 | 3638 | 3308 | 2887 | 2707 | 2698
 | 1723 | 837 | 2053 | 1970 | 2596 | 1899
 | 1145 | 1554 | 1169 | 968 | _ | 161404 6 |
| | % sidslisvA toN | 0.00% | 0.00% | 2.20% | %00.0 | 0.70% | 0.00% | %00.0
 | 0.40% | 0.20% | 0.00% | 0.10% | 0.00%
 | 0.00% | %06.0 | 0.10% | 0.00% | 0.00% | 0.50%
 | %00.0 | 0.00% | 0.80% | 0.00% | 0.10%
 | 0.10% | 0.50% | 0.00% | 0.70% | 0.00%
 | 0.00% | %06.0 | 0.00% | 1.20% | %00.0 | %00.0
 | 0.20% | 0.00% | 1.00% | 0.00% | 0.00% | 0.30% |
| ilet | eldelievA toM | 0 | l٩ | 19 | 0 | 56 | 0 | 0
 | 8 | 3 | 0 | 2 | 0
 | 0 | 34 | 3 | 0 | 0 | 10
 | 0 | 0 | 30 | 0 | 2
 | 2 | 17 | 0 | 18 | 0
 | 0 | 80 | 0 | 24 | Н | 0
 | 2 | 0 | 12 | 0 | 0 | 525 |
| Ĕ, | əldslisvA | 732 | 1389 | 832 | 3043 | 3483 | 2936 | 1541
 | 2135 | 1511 | 1253 | 3799 | 1762
 | 2606 | 3644 | 2081 | 2514 | 2633 | 2141
 | 2178 | 1437 | 3736 | 2498 | 2234
 | 3636 | 3311 | 2890 | 2708 | 2698
 | 1723 | 836 | 2053 | 1967 | 2595 | 1899
 | 1147 | 1554 | 1169 | 896 | 1586 | 161487 |
| ıage | % eldslisvA JoN | 0.00% | %00.0 | 3.40% | 0.00% | 16.30% | 0.00% | 0.00%
 | 0.90% | %09.0 | 0.10% | 0.40% | 0.00%
 | 0.00% | 1.70% | 0.20% | 0.00% | 0.00% | 0.70%
 | 0.00% | 0.10% | 1.00% | 0.00% | 0.30%
 | 0.00% | 1.10% | 0.00% | 0.80% | 0.00%
 | 0.00% | 1.10% | 0.00% | 1.90% | 0.00% | 0.00%
 | 0.20% | 0.00% | 14.50% | 0.00% | 0.10% | 1.00% |
| r Sign | 9ldslisvA toM | Ò | 0 | 29 | 0 | 572 | 0 | 0
 | 20 | 9 | 1 | 14 | 0
 | 0 | 62 | 4 | 0 | 0 | 15
 | 0 | 1 | 39 | 0 | 9
 | 0 | 36 | 0 | 22 | ٥
 | 0 | 6 | 0 | 37 | 0 | 0
 | 2 | 0 | 171 | ٥ | - | 1601 |
| Prope | əldslisvA | 732 | 1389 | 822 | 3043 | 2937 | 2936 | 1541
 | 2123 | 1505 | 1252 | 3787 | 1762
 | 2606 | 3616 | 2080 | 2514 | 2633 | 2136
 | 2178 | 1436 | 3727 | 2498 | 2230
 | 3638 | 3292 | 2890 | 2704 | 2698
 | 1723 | 835 | 2053 | 1954 | 2596 | 1899
 | 1147 | 1554 | 1010 | 896 | 1585 | 160411 |
| Ramp | % 9ldslisvA toM | %00.0- | %00.0 | 4.50% | 8000 | 0.90% | %00.0 | %00.0
 | 0.80% | | 0.00% | 0.30% | 0.00%
 | 0.00% | 1.90% | 0.60% | 0.00% | 0.00% | 1.10%
 | 0.00% | 0.10% | 1.40% | %00.0 | 0.40%
 | 0.10% | 1.40% | 0.10% | 1.00% | 0.00%
 | 0.00% | 1.30% | 0.00% | 2.40% | 0.10% | %00.0
 | 0.80% | %00.0 | 4.10% | %00.0 | | 0.80% |
| ğ | aldslievA toN | 0 | 0 | 38 | 0 | 32 | 0 | 0
 | 17 | 10 | 0 | 12 | 0
 | 0 | 71 | 13 | 1 | 0 | 23
 | 0 | 1 | 51 | 1 | 10
 | 3 | 47 | 2 | 56 | 0
 | 0 | 11 | 0 | 47 | 2 | 0
 | 6 | 0 | 48 | 0 | 4 | 1298 |
| Pravision | əldslisvA | 732 | 1389 | 813 | 3043 | 3477 | 2936 | 1541
 | 2126 | 1504 | 1253 | 3789 | 1762
 | 2606 | 3607 | 2071 | 2513 | 2633 | 2128
 | 2178 | 1436 | 3715 | 2497 | 2226
 | 3635 | 3281 | 2888 | 2700 | 2698
 | 1723 | 833 | 2053 | 1944 | 2594 | 1899
 | 1140 | 1554 | 1133 | 896 | 1582 | 160714 1 |
| hting | % 9ldelisvA 10M | 0.00% | 9600.0 | 2.70% | 0.00% | _ | | 0.00%
 | 0.30% | _ | 0.20% | 0.30% | 0.00%
 | 0.00% | | | | |
 | %00.0 | | | %00.0 |
 | | | | |
 | | %08'0 | %00.0 | 1.50% | %00.0 | %00.0
 | 0.10% | %00.0 | 1.20% | %00.0 | 0.10% | 0.40% |
| Ę | eldelisvA toM | 0 | 0 | 73 | 0 | 27 | 0 | 0
 | 7 | E) | 2 | 위 | 0
 | ٥ | 37 | 7 | ျ | ٥ | 15
 | 0 | 0 | 32 | 0 | 4
 | 0 | 88 | ٥ | 77 | 기
 | 9 | 7 | 0 | 30 | 0 | 0
 | 1 | 0 | 14 | 0 | 1 | 624 |
| Prope | əldslisvA | 732 | 1389 | 828 | 3043 | 3482 | 2936 | 1541
 | 2136 | 1511 | | | 1762
 | 5606 | | | 1 | 2633 | 2135
 | 2178 | 1437 | | |
 | - 1 | | | | 2698
 | 1723 | 837 | 2053 | 1961 | 2596 | 1899
 | 1148 | 1554 | 1167 | 896 | 1585 | 161388 |
| Fi | % sldslisvA JoN | ÷ | 0.00 | 3.10 | 0.00 | 0.70 | 0.00 | 0.00
 | %09.0 | 0.80% | 0.00% | 0.30% | 0.00%
 | 0.00% | 1.60% | 0.30% | 0.00% | 0.00% | 0.50%
 | %00.0 | 0.20% | 1.10% | 0.00% | 0.10%
 | 0.10% | 1.10% | 0.00% | 0.80% | 0.00%
 | 0.00% | 1.40% | 0.00% | 1.60% | | 9600.0
 | | 0.00% | 2.50% | 0.00% | 0.10% | 0.60% |
| p De | 9ldslisvA toM | 13 | 0 | 26 | 0 | 56 | 0 | 0
 | 12 | 17 | 0 | 13 | 0
 | 0 | 용 | _ | ျ | ٥ | 11
 | ٥ | 3 | 41 | 1 | 3
 | 4 | 33 | 7 | 2 | щ
 | ា | 12 | 0 | 31 | 1 | 0
 | 7 | 0 | 30 | 9 | - | 1019 |
| 포 | aldelievA | 719 | 1389 | 825 | 3043 | 3483 | 2936 | 1541
 | 2131 | 1502 | 1253 | 3788 | 1762
 | 2606 | 3618 | 2077 | 2514 | 2633 | 2140
 | 2178 | 1434 | 3725 | 2497 | 2233
 | 3634 | 3291 | 2889 | 2705 | 2697
 | 1723 | 832 | 2053 | 1960 | 2595 | 1899
 | 1142 | 1554 | 1151 | 896 | _ | 160993 |
| rniture | % 9ldslisvA toM | -0.00% | 0.00% | 2.50% | 0.00% | %08'0 | 0.00% | 0.00%
 | 0.60% | 0.20% | 0.10% | 0.30% | 0.00%
 | 0.00% | 1.20% | 0.10% | 0.00% | 0.00% | 0.30%
 | 0.00% | 0.00% | 0.80% | %00:0 | 0.20%
 | 0.00% | 0.60% | 0.00% | 0.90% | 0.00%
 | 0.00% | 1.20% | 0.00% | 1.10% | %00'0 | 0.00%
 | 0.20% | 0.00% | 1.30% | 0.00% | %00.0 | 0.40% |
| F Fu | eldslisvA toN | -0 | 0 | 21 | ٥ | 28 | ٩ | ٥
 | 12 | æ | 1 | 3 | 9
 | ٥ | 45 | 3 | 익 | 0 | 7
 | 0 | 0 | 29 | 0 | 4
 | 0 | 20 | 0 | 24 | 1
 | 0 | 10 | 0 | 22 | 1 | 0
 | 2 | 0 | 15 | 0 | 9 | 643 |
| Adequa | əldelisvA | . 732 | 1389 | | | | 2936 | 1541
 | 2131 | 3 | | 3788 | 1762
 | . 3 | | 3 3 | | |
 | esc. | 1437 | | |
 | | | | |
 | 1723 | 834 | 2053 | | 2595 | 1899
 | 1147 | 1554 | 1166 | . 968 | 1586 | 161363 |
| | noitest gnilloq | 732 | 1389 | 851 | 3043 | 3509 | 2936 | 1541
 | 2143 | 1514 | 1253 | 3801 | 1762
 | 2606 | 3678 | 2084 | 2514 | 2633 | 2151
 | 2178 | 1437 | 3766 | 2498 | 2236
 | 3638 | 3328 | 2890 | 2726 | 2698
 | 1723 | 844 | 2034 | 2053 | 2615 | 1899
 | 1149 | 1492 | 1181 | 896 | 1586 | 162012 |
| Location | District Name | Mahoba | Banda | Chitrakoot | Varanasi | Jaunpur | Ghazipur | Chandauli
 | Mirzapur | Sonbhadra | Bhadohi | Azamgarh | Mau
 | Ballia | Gorakhpur | Maharajganj | Deoria | Kushinagar | Basti
 | Siddharthnagar | Sant Kabir Nagar | Lucknow | Unnao | Raebareli
 | Sitapur | Hardoi | Kheri | Gonda | Bahraich
 | Balrampur | Shrawasti | Ayodhya | Sultanpur | Barabanki | Ambedkar Nagar
 | Kasganj | Amethi | Hapur | Shamli | Sambhal | |
| Ì | District No. | 37 | 38 | 39 | \$ | 41 | 42 | 43
 | 44 | 45 | 46 | 47 | 48
 | 49 | 22 | 21 | 22 | 23 | 54
 | 55 | 26 | 27 | 28 | 59
 | 9 | 19 | 29 | 8 | 49
 | 65 | 99 | 67 | 89 | 69 | 5
 | 71 | 72 | 73 | 74 | 75 | Total |
| | Adequate Furniture Help Desk | Adequate Furniture Adequate Furniture and possible of the possibility | Adequate Furniture Location Adequate Furniture Help Desk Proper Lighting Provision for Ramp Provision for Ramp Proper Signage Tollet Tollet | Adequate Furniture | Adequate Furniture Help Desk Proper Lighting Provision for Ramp Proper Signage Toilet To | Proper Signage | Docation Adequate Furniture Help Desk Proper Lighting Provision for Ramp Proper Signage Tollet Drinking Walnumber Tollet Drinking Walnumber Drinking Walnum | Location Adequate Furniture Help Desk Proper Lighting Provision for Ramp Proper Signage Tollet Tollet Drinking W Proper Lighting Proper Signage Tollet Drinking W Proper Lighting W Proper Signage Tollet Drinking W Proper Signage Tollet Drinking W Dri | Location Adequate Furniture Help Desk Proper Lighting Provision for Ramp Proper Signage Tollet Driving Walking Proper Signage Proper Lighting Provision for Ramp Proper Signage Tollet Driving Walking Walking Proper Signage Proper | Adequate Furmiture Help Dock Proper Lighting Provision for Ramp Proper Signage Toillet Trinking Trinking | Location Adequate Furniture Help Desk Proper Lighting Provision for Ramp Proper Signage Tollet Tollet | Proper Lighting Proper Lighting Provision for Ramp Proper Signage Tollet Tollet | Adequate Furniture Adequate Adequate Furniture Adequate Furnitur | Location Adequate Furniture Help Desk Proper Lighting Provision for Ramp Proper Signage Tollet Tollet Tollifung Tollet Tollifung Tollifung | Help Desk Help | Heip Desk Proper Lighting Proper Lighting | Horation | Hocation Adequate Furniture Help Deck Proper Lighting Provision for Ramp Proper Signage Tolic Tolic | Docation Adequate Furniture Help Deak Proper Lighting Provision for Ramp Proper Signage Tolet Driving Manhaba Driving Ma | Hocation Adequate Furniture Help Dosk Proper Lighting Provision for Ramp Proper Signage Toliet Toliet | Help Dock Help Dock Proper Lighting Provision for Name Proper Signage Tollet Drinking Proper Lighting Proper Lighting Proper Signage Proper Si | Adequate Furniture Help Desk Proper Lighting Provision for Ramp Proper Signage Tollet To | Adequate Furniture Help Desk Proper Lighting Provision for Ramp Proper Signage Tollet To | Location Adequate Furifiume Help Desk Proper Lighting Provision for Ramp Proper Signage Tollet Dirthology D | Decardon Adequate Furniture Adequate Furnitur | Decardon Adequate Furriture Adequate Furritur | Location Adequate Funiture Help Dosk Proper lighting Provision for Ramp Proper Signage Trillian Proper Signage Trillian Proper Signage Trillian Proper Lighting Provision for Ramp Proper Signage Trillian Proper Lighting Provision for Ramp Provision for Ramp Proper Lighting Provision for Ramp Provision f | Location Adequate Fundure Help Desk Proper lighting Provision for Ranno Proper Signage Trillick State Proper Lighting Provision for Ranno Proper Signage Trillick State Trillick State Provision for Ranno Proper Signage Trillick State Trillick State Trillick State Trillick St | Totalion Adequate Furtifiure Help Disk Proper lighting Provision for Ramp Proper signate Prope | Totalion Adequate Furthfure Help Dack Proper lighting Provision for Ramp Proper signale Proper signale Provision for Ramp Proper signale Provision for Ramp Proper signale Provision for Ramp Proper signale Proper signa | Marches Marc | Marchelle Decardon Marchelle March | Marchen | Mathematical Control Adequate Furnifiue Holp Deck Proper lighting Proper Signage Proper Signage | Digital Control Account of Trilling Tr | Decoration Adequate Furtifier Holp Deck Proper lighting Provision for Name Proper State Provision for Name Proper lighting Proper lighting Provision for Name Proper lighting Proper lighting Provision for Name Proper lighting Proper lighting | Design D | Control Cont | Total Control | Total Control | Machine Mach |

. . .

1

भारत निर्वाचन आयोग

ELECTION COMMISSION OF INDIA

TEL: 011-23052246 Fax 011-23052001 Nirvachan Sadan, Ashoka Road, New Delhi-11001.

Website: www.eci.gov.in

No.464/INST-AMF/2022/EPS

Dated: 10th June, 2023

To

The Chief Electoral Officers of all States and Union Territories

Subject:

Assured Minimum Facilities and Other Facilities at

Polling Stations-reg.

Reference:

(i)	458/4/98/PLN-IV	01.06.1998
(ii)	No.464/INST/2016-EPS	24.04.2009
(iii)	464/2009-EPS	30.04.2009
(iv)	464/INST/2013-EPS	30.09.2013
(v)	464/INST-BMF/2013-EPS	27.01.2014
(vi)	No.464/INST-PDF/2013-EPS	27.01.2014
(vii)	No.464/INST-BMF/2013-EPS	27.03.2014
(viii)	464/INST/2016-EPS	15.02.2016
(ix)	464/INST/2016-EPS	12.03.2016
(x)	464/INST/PwD/2016-EPS	07.09.2016
(xi)	464/INST/2016-EPS	12.09.2016
(xii)	464/INST/2016-EMS	21.12.2016
(xiii)	464/INST/2016-EPS	26.12.2016
(xiv)	51/8/7/2017-EMS (Vol.II)	03.08.2017
(xv)	464/INST/PwD/2018-EPS	27.09.2018
(xvi)	464/INST/PwD/2018-EPS	27.09.2018
xvii)	No.464/INST/2019/EPS	16.03.2019

Madam/Sir,

The Commission has been issuing instructions from time to time on facilities to be provided at Polling Stations on the day of poll for electors as well as polling personnel, vide instructions referred above. Now, the Commission has reviewed these instructions and issued the following consolidated instructions in supersession of all the existing instructions on the subject.

1. Assured Minimum Facilities (AMF)

The Commission directs that the CEOs/DEOs shall make complete gap analysis of Assured Minimum Facilities (AMF) at each Polling Station and work with State authorities to permanently provide these AMF at the polling stations. The Assured Minimum Facilities are provided at the Polling Stations for assistance and facilitations to voters to enable them to cast their votes on the day of poll in smooth, hasslefree and convenient manner, apart from providing enabling framework to the polling personnel to discharge their duty in an efficient manner. The DEO and the RO shall do an advance exercise well before the elections, as provided in election planner, to get the conditions of the polling stations physically verified by the field officials. The Sector Officers should visit each Polling Stations/Locations within his /her jurisdiction to assess whether it is use worthy. The Returning Officers shall physically verify at least 20% of the Polling Locations. The Commission directs to provide following Assured Minimum Facilities (AMF) at each and every Polling Stations/Locations:

(i) Polling Station at Ground Floor: -The polling stations should be set up on the ground floor of a building to facilitate voting for aged and disabled electors. Polling stations should be set up in such a manner that ordinarily, no voter is required to travel more than two kilo meters to cast his vote. In sparsely populated hilly or forest area, this rule may require to be relaxed. In such cases to ensure that voters may not have to walk unduly long distances, Polling Stations may be set up for a smaller number of electors than the usual norm. Due consideration should be given to the topography and the ease of travel for electors. Sometimes, Polling Stations in hilly areas are located on different levels. It should be ensured that if the Polling Station is at a higher level, the road that leads to it, passes at the same level as that of the Polling Station.

The Polling Stations should have separate Entrance and exit for voters. If there is only one door at the Polling Station(s), separate entrance and exit can be provided with the help of a temporary fencing in the middle of the doorway using bamboos and ropes, based on the local conditions.

- (ii) Provision for Ramp: A permanent ramp of maximum gradient 1:12 should be provided at all Polling Stations to facilitate the PwD (Persons with Disabilities) voters and senior citizen electors, as per the directions of the Hon'ble Supreme Court of India in the Polling Stations. The Supreme Court has also directed to give wide publicity about the provision of ramps in Polling Stations.
- (iii) Provision for Drinking Water: There should preferably be permanent arrangement of tap facility for drinking water. As an alternative, drinking water pots having sufficient capacity on the day of poll may be provided. Sufficient number of environment-friendly disposable glasses may be made available for drinking water. Drinking water facility should be on self-service basis and wherever possible provision of volunteer/daily wage-earner to serve water to the voters standing in the queue, may be made.
- (iv) Adequate Furniture: There should be proper provision for furniture like tables, chairs and benches etc., inside Polling Station for polling parties and polling agents. Adequate chairs/ benches should also be provided at each Polling Station for disabled, pregnant or senior citizen electors.
- that the inside space of the voting compartment is sufficiently lighted, however, while setting up EVMs and VVPATs at the polling station, it should be ensured that the light does not fall directly on the voting compartment. If necessary, arrangement for suitable additional lighting should be done for each compartment. Halogen lamps or 200-watt bulbs have to be strictly avoided directly above or in front of voting compartment. If the power connection is available, the condition of switches/bulbs/fans should be checked. If power connection cannot be provided even temporarily due to terrain or proximity of electrical network, alternative arrangement (like Petromax, lantern, Battery operated LED/charger light etc.) and generator sets etc. should be hired, so that, on the poll day, those polling stations are properly lighted.
- (vi) Proper Signage: Proper Signage should be put up near and at the Polling Station locations for guidance of the voters about the

layout of the location, facilities available (like ramp, toilet, drinking water etc.) and Voter Assistance Booth.

- (vii) Toilets: There should be separate toilets in sufficient numbers for male and female voters at each Polling Station location. If two toilets are not available, pucca one should be earmarked for female voters and one temporary toilet may be provided for male voters. If no pucca toilet is available, provision for mobile toilet vans be made and in hilly areas, with difficult topography, temporary toilet arrangements may be made. One employee or a daily wage-earner shall be deployed to keep the toilet clean throughout the day. The toilets should be accessible for PwD and senior citizen electors.
- (viii) Shade in Polling Station: Tented arrangement for shade with adequate size (minimum 15ft X15ft) canopy should be made available, as waiting area, at each Polling Station with sufficient chairs/benches preferably for ladies/senior citizens/nursing mothers/differently abled voters and children accompanying them.
- (ix) Provision for Creche for children: There should be proper arrangement for creche at each Polling Station Location for children accompanying the electors. One trained attendant/volunteer should be deployed to take care of these children.
- (x) Display of Voter Facilitation Posters. In order to fulfil the statutory requirements under Rule 31 of the Conduct of Elections Rules, 1961 and to provide accurate and relevant information for voter awareness and information at each polling station, the Commission has directed that a total of FOUR (4) kind of Posters shall be prominently displayed at all Polling Stations. The design and other specifications of the four posters may be seen at Annexure 1.

(xi) Voter Assistance Booths (VAB):

(a) A Voter Assistance Booth shall be set up for every polling station location, with a team of BLO/officials in order to assist voters to correctly locate her /his polling booth number and serial number in the electoral roll of that concerned polling booth.

4. Appointment of Nodal Officers: -

While preparing the district machinery for the conduct of election, the DEO shall identify a senior officer as the Nodal Officer to coordinate and supervise amenities at the Polling Stations as well as polling personnel/voters' welfare measures. Similarly, each RO shall identify a nodal officer for the above purpose. The name and designation, office and residential telephone numbers including mobile number and e-mail ID, if any, of the Nodal Officer shall be mentioned in the District/Constituency Election Management Plan. The contact numbers should also be brought to the notice of the polling personnel drafted for election duty

The above instructions shall be brought to the notice of all concerned for strict compliance.

Yours faithfully,

(AJAY KUMAR VERMA) SECRETARY

Voter Facilitation poster

- 1. A total of FOUR (4), Uniform and standardized Voter Facilitation Posters (VFP), shall be prominently displayed at all Polling Stations as per the design enclosed, including the details of Polling Station Details (VFP-1), List of Candidates (VFP-2), Do's and Don'ts (VFP-3) and Approved Identification Documents & How to Vote (VFP-4).
- 2. The size of the VFPs should be such that the contents are early and clearly visible and the text is effortlessly readable to the voters approaching the polling booth. The following dimensions are provided for purely indicative purpose:
 - VFP No. 1 and 2: 27 inches (Height) X 27 inches (Width).
 - VFP No. 3 and 4: 27 inches (Height) x 36 inches (Width).
- The VFPs shall be displayed/pasted/stuck on the outside wall, near the entrance of each polling booth.
- 4. The VFPs must be pasted/affixed in the order of their Serial Nos i.e. VFP No. 1 followed by VFP-2 and so on.
- 5. In addition, VFPs No. 3 and 4 shall also be affixed near the entrance of the polling station premises/locations, especially in case of locations having more than one polling booths.
- The VFPs can be printed on paper or any other available ecofriendly material, subject to reasonability of cost and without compromise on the overall quality of display.
- 7. The display of VFPs shall be an integral part of the overall arrangements to be made at every polling booth by the Returning Officer.
- 8. The proper manner of display of VFPs shall be explained to the Presiding officers during the election training sessions organized by the Returning Officers.
- The Sector Officers shall ensure that the VFPs are prominently displayed as per the directions herein and submit a report to the Returning Officer.

DESIGN OF 'VOTER ASSISSTANCE BOOTH'

